





The Most Reliable And Robust Trolley In Australia

EXPRESS SERVICE SYSTEM

- •Supports OH&S No manaul lifting
- •Independently certified safe to Australian requirements if used in accordance with the operation manual
- For use on Standard Passenger Vehicles and Selected Commercial Vehicles only.





A: 23 / 28 Barcoo St, Roseville NSW 2069 T : 1300 14 15 16

E : sales@unipac.com.au W: www.unipac.com.au

EXPRESS SERVICE EQUIPMENT



TROLLEY PACKAGE

EXPRESS TROLLEY

- Made from industrial grade stainless steel
- •Pneumatic wheel lifter
- •Integrated user controls
- Ergonomically positioned auxiliary ports for various pneumatic tools (i.e. impact wrench, blow-gun, etc.)
- •Tray with customised tool slots
- •Removable second tray
- Foot brake
- Heavy duty rotational casters
- •Customised holsters (i.e. Impact wrench, brake bleeder, etc.)



BRAKE BLEEDER

- •Pneumatic brake fluid extractor (1.5L)
- •Hands free refill bottle (1L) that attaches directly to master cylinder
- •Custom length extraction hose Ease of operation via integrated control valve on trolley



WHEEL ROTATION TROLLEY

- •Industrial frame suitable for most passenger and commercial vehicle wheels
- Heavy duty casters with rotational fronts
- •Double wheel brakes on rear wheels



SUPPORTING TOOLS AND EQUIPMENT



CABINET

- •BETA 6 drawer mobile roller cabinet on castor wheels
- •Two fixed and two steering wheels (one with brake)
- •Static load capacity 800g
- •Drawer bases protected by stone rubber mats



MIRROR

- Labour saving only one tech needed to check lights
- Wall or post mountable
- Polycarbonate face

NATIONWIDE SERVICE & SUPPORT Contact us to find out more!



TOOLS

- High quality automotive tools from

 ■Beta
- •Supplied tools to suit standard service requirements can be customised
- Lifetime warranty*
- •Custom slots on EM Trolley specifically designed to accomodate tool kit



WHEEL BALANCER

- Outstanding price-performance ratio
- Time savings thanks to electronic data detection
- Easy mounting of hidden weights with automatic positioning
- Can be used universally for all car, motorcycle and light-duty vehicle wheels up to 60 kg
- Extremely space-saving
- Autodiagnosis system
- No service technician for calibration needed
- German technology

